

OVERVIEW & INSTALL

R modern, expressive programming language

```
# Check version
r --version
```

Install via official installer, package manager, or version manager

Popular package managers: cargo, pip, gem, npm, brew

BASIC SYNTAX

Variables, control flow, expressions

```
// Variable declaration
let x = 10;
// Conditional
if x > 5 { ... } else { ... }
// Loop
for item in collection { ... }
```

DATA TYPES

Primitive: integers, floats, booleans, strings

Composite: arrays, maps, tuples, structs

```
// Typed declaration
let name: String = "Alice";
let numbers: Vec<i32> = vec![1, 2, 3];
```

Strong typing prevents common runtime errors

FUNCTIONS

```
fn greet(name: &str) -> String {
  format!("Hello, {}!", name)
}
let result = greet("World");
```

First-class functions; lambdas/closures supported

```
let double = |x| x * 2;
```

OOP / MODULES

Structs, classes, or records with methods

```
struct User { name: String, age: u32 }
impl User {
  fn new(name: &str) -> Self { ... }
  fn greet(&self) -> String { ... }
}
```

Interfaces / traits / protocols for polymorphism

COLLECTIONS

```
// Array / slice
let arr = [1, 2, 3];
// Dynamic list
let mut list = Vec::new();
list.push(42);
// Map / dictionary
let mut map = HashMap::new();
map.insert("key", "value");
```

ERROR HANDLING

Result/Option types or exceptions

```
fn read_file(path: &str) -> Result<String, Error> {
  Ok(std::fs::read_to_string(path)?)
}
match result {
  Ok(data) => process(data),
  Err(e) => eprintln!("Error: {}", e),
}
```

CONCURRENCY / ASYNC

Threads, async/await, or actor model

```
async fn fetch_data(url: &str) -> Result<String> {
  let resp = client.get(url).await?;
  resp.text().await
}
tokio::main / async_std / smol
```

Green threads or OS threads depending on runtime

TESTING

Built-in or framework test support

```
#[test]
fn test_greet() {
  assert_eq!(greet("Alice"), "Hello, Alice!");
}
cargo test / run test suite
```

Unit tests co-located with source code

ECOSYSTEM & PACKAGES

Package registry and dependency management

```
# Add dependency
cargo add serde
# In Cargo.toml:
[dependencies]
serde = { version = "1.0", features = ["derive"] }
```

Curated ecosystem with popular libraries for HTTP, JSON, DB

CLI & BUILD TOOLS

|              |                        |
|--------------|------------------------|
| cargo build  | compile project        |
| cargo run    | build and run          |
| cargo test   | run tests              |
| cargo fmt    | format code            |
| cargo clippy | linting                |
| cargo doc    | generate documentation |

Integrated toolchain for build, test, and docs

COMMON GOTCHAS

Follow language-specific naming conventions

Understand ownership/borrowing/GC model for this language

Use idiomatic patterns don't port code from other languages

Check community guidelines for error handling approach

Profile before optimizing correctness first